

Work Order ID 58079

April 22, 2010 2:25:58 PM



Page 1

Item ID: D4048-3

Accept



Setup Start



Revision ID:

Stop



Item Name: Mounting Lug

Start Date: 4/22/10 Start Qty: 2.00



Cust Item ID:

Required Date: 4/30/10 Req'd Qty: 2.00



Customer:

Reference:

Approvals: Process Plan:

Date: 10-4-22

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	----------------	--------------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D4048

A

100

0.00



Bandsaw

Memo

0.00

S.B. 10/05/02

2 0

Jcaspa Bandsaw

CUT BLANK 3.700" LONG

110

0.00



HAAS 1

Memo

0.00

DT 10/05/03

2 0

HAAS CNC vertical machine #1

MILL AS PER DWG AND FOLIO FA894
FOLIO REV: AA
DWG RE: AA

MW 10/05/04

120

0.00



QC

QC2- Inspect parts off machine FAI/FAIB

Memo

0.00

DT

10/05/03

MW 10/05/04

2 0

Quality Control

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 58079

April 22, 2010 2:25:58 PM

Page 2

Item ID: D4048-3

Accept

Setup Start

Revision ID:

Stop

Item Name: Mounting Lug

Start Date: 4/22/10 Start Qty: 2.00

Cust Item ID:

Required Date: 4/30/10 Req'd Qty: 2.00

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130

QC8- Inspect parts - second check

0.00



QC

Memo

0.00

Quality Control

140

Chemical Conversion Coat per QSI005 4.1

0.00



HandFinish

Memo

0.00

Hand Finishing

150

White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum

0.00



Powdercoat

Memo

0.00

Powder Coating

Mask 0.257" holes and indicated channel prior to powder coat

POWDER COAT:

Start Time: 9:15AM

Oven Temperature: 320°F

Finish Time: 9:45AM

7ml 10/05/04

2 0

2 BK 10-5-5.

=) 94 10/05/06

2 0

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 58079



Page 3

April 22, 2010 2:25:59 PM

Item ID: D4048-3

Accept



Setup Start



Revision ID:

Item Name: Mounting Lug

Stop



Start Date: 4/22/10 Start Qty: 2.00



Cust Item ID:

Required Date: 4/30/10 Req'd Qty: 2.00

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

160

QC3- Inspect Part Finish

0.00



QC

Memo

0.00

Quality Control



BK 10-56

170

Identify as per dwg & Stock Location: B 58065

0.00



Packaging

Memo

0.00

Packaging



SK 10/05/05

180

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

10/05/07 AJ

ME

10-5-6

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

April 22, 2010 2:25:57 PM

Page 1

Work Order ID: 58079



Parent Item: D4048-3



Parent Item Name: Mounting Lug

Start Date: 4/22/10

Required Date: 4/30/10

Comments: IPP REV:A NEW ISSUE 10-01-26 JLM VERIFIED BY:EC IPP Rev:B
as per dwg revA DD 10.02.18 verified by:EC

Start Qty: 2.00

Required Qty: 2.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
M6061T6B1.500X04.00 0		Purchased	No			100	f	17.0000	0.6484			



6061T6 Bar 1.500 x 4.00

Warehouse

Loc Qty

Loc Code

Location

Main Warehouse

MAT09

17

113797

17

6884

25 p/05/02

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order: 58079
Description: <i>Mounting Lug</i>		Part Number: 4048-3
Inspection Dwg: D4048	Rev: 4	Page 1 of 2

FIRST ARTICLE INSPECTION CHECKLIST



☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0,115	$\pm 0,010$	0,1175	✓			2PL
R0,13	$\pm 0,030$	0,125	✓			2PL
1,00	$\pm 0,030$	1,00	✓			REF
R0,063	$\pm 0,010$	0,063	✓			
0,050 X 45°	$\pm 0,010 / \pm 1/2^\circ$	0,045 X 45°	✓			clanfer
0,300	$\pm 0,010$	0,303	✓			2PL
0,400	$\pm 0,000 / -0,015$	0,395	✓			
1,158	$\pm 0,015 / -0,000$	1,165	✓			
8,5°	$\pm 1/2^\circ$	8,5°	✓			
0,875	$\pm 0,010$	0,870	✓			
0,770	$\pm 0,010$	0,767	✓			
1,00	$\pm 0,030$	1,00	✓			REF
3,75	$\pm 0,030$	3,754	✓			
Ø 0,257	$\pm 0,006 / -0,001$	0,260	✓			3PL
3,000	$\pm 0,010$	3,000	✓			
1,500	$\pm 0,010$	1,500	✓			
0,38	$\pm 0,030$	0,375	✓			TYP



Measured by: <i>DJP</i>	Audited by: <i>amh</i>	Prototype Approval:	N/A
Date: 10/25/03	Date: 10/05/04	Date:	N/A

Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	

Page #1 of 2



D4048-041 MOUNTING LUG ASSY (SHOWN)



D4048-042 MOUNTING LUG ASSY (SHOWN)

ITEM	QTY -041	QTY -042	P/N	Description
	X		D4048-041	MOUNTING LUG ASSY
		X	D4048-042	MOUNTING LUG ASSY
1	1	1	D4048-1	MOUNTING LUG
2	1		D4048-3	MOUNTING LUG
3		1	D4048-4	MOUNTING LUG
4	4	4	D4048-9	BUSHING
5	2	2	AN980JD416	WASHER
6	2	2	AN4-14A	BOLT
7	2	2	MS21042L4	NUT

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 58079

210-4-22

RELEASED
R 2010-02-16 D

- NOTES:
1) MATERIAL: N/A
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: N/A
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4048-041/-042" USING FINE POINT PERMANENT INK MARKER
7) WEIGHT: D4048-041/-042: 1.16 lbs
8) TORQUE AN4 BOLTS TO 50-70 in-lbs (5.6-7.9 Nm)

A NEW ISSUE		RF	10.01.29
REV.	DESCRIPTION		BY DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D4048 TITLE MOUNTING LUG ASSY SCALE NTS COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	
DRAWN	RF		
CHECKED	<i>GP</i>		
MFG. APPR.	<i>GP</i>		
APPROVED	<i>GP</i>		
DE APPR.	<i>GP</i>	DATE 10.01.29	



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries



D4048-1 MOUNTING LUG

NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR 4117/4128/4115/4116)
PER AMS-QQ-A-200/8 (OR AMS 4160)
REF DART SPEC. M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE" (4.3 5.1) PER DART QSI 005 4.3
MASK Ø0.315 HOLES PRIOR TO POWDER COAT
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.47 lbs



W/O 58079

RELEASED
2010-02-16
AM

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	g2	DRAWING NO.	REV. A
MFG. APPR.	g2	D4048	SHEET 2 OF 9
APPROVED	g2	TITLE	SCALE
DE APPR.	g2	MOUNTING LUG ASSY	NTS
DATE	10.01.29	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



w/o 58029

RELEASE
2010-02-16
MP

NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR 4117/4128/4115/4116)
PER AMS-QQ-A-200/8 (OR AMS 4160)
REF DART SPEC. M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
MASK Ø0.257 HOLES AND INDICATED CHANNEL (ZN C7-3)
PRIOR TO POWDER COAT
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.61 lbs

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D4048 TITLE MOUNTING LUG ASSY COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRINTED BY THE CUSTOMER OR THEIR SUPPLIER. IT IS THE PROPERTY OF DART AEROSPACE LTD AND IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.	REV. _____
DRAWN	RF		SHEET 3 OF _____
CHECKED	RF		SCALE
MFG. APPR.	RF		NT
APPROVED	RF		
DE APPR.	RF		
DATE	10.01.29		





W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR 4117/4128/4115/4116)
PER AMS-QQ-A-200/8 (OR AMS 4160)
REF DART SPEC. M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
MASK Ø0.257 HOLES AND INDICATED CHANNEL (ZN C7-4)
PRIOR TO POWDER COAT
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.61 lbs

D4048-4 MOUNTING LUG

VIEW B-B C6-4

RELEASED
2010-02-16
MP

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	MP	DRAWING NO.	REV. A
MFG. APPR.	MP	D4048	SHEET 4 OF 9
APPROVED	MP	TITLE	SCALE
DE APPR.	MP	MOUNTING LUG ASSY	NTS
DATE	10.01.29	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



SECTION H-H C1-6




D4048-6 MOUNTING LUG


NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR 4117/4128/4115/4116)
PER AMS-QQ-A-200/8 (OR AMS 4160)
REF DART SPEC. M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
MASK Ø0.257 HOLES AND INDICATED CHANNEL (ZN C7-6)
PRIOR TO POWDER COAT
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4048-6" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.44 lbs

w/0.58079



VIEW F-F D6-6



VIEW G-G C4-6

RELEASED
2010-02-16

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>GP</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>GP</i>	D4048	SHEET 6 OF 9
APPROVED	<i>GP</i>	TITLE	SCALE
DE APPR.	<i>GP</i>	MOUNTING LUG ASSY	NTS
DATE	10.01.29	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR 4117/4128/4115/4116)
PER AMS-QQ-A-200/8 (OR AMS 4160)
REF DART SPEC. M6061T68
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
MASK $\phi 0.257$ HOLES AND INDICATED CHANNEL (ZN C7-7)
PRIOR TO POWDER COAT
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4048-7" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.62 lbs

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. A
MFG. APPR.	RF	D4048	SHEET 7 OF 9
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	MOUNTING LUG ASSY	NTS
DATE	10.01.29	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D4048-9 BUSHING

NOTES:

- 1) MATERIAL: AISI 303 STAINLESS STEEL BAR
REF DART SPEC. M303B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.01 lbs

RELEASED
2010-02-16

w/o 58079

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>GP</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>GP</i>	D4048	SHEET 9 OF 9
APPROVED	<i>GP</i>	TITLE	SCALE
DE APPR.	<i>GP</i>	MOUNTING LUG ASSY	NTS
DATE	10.01.29	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries